

Google patents

deleting each of returned encrypted program s

Search Patents

[Advanced Patent Search](#)Patents Showing: View as: Patents 1 - 10 on deleting each of returned encrypted pr[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)System and method for the secure data entry from document images

US Pat. 6741737 - Filed Mar 18, 1999 - ChoicePoint Asset Company

The system of claim 45 wherein the first computer and **program** and the data entry computer and **program each** further comprise converter means for encrypting ...Security system for microcomputers

US Pat. 4757533 - Filed Sep 11, 1985 - Computer Security Corporation

If it is not **encrypted**, then exit to DOS ensues without decryption. FIG. ...with the ES (Extra **Segment**) register and the BX (base) register pointing to a

...

Methods and apparatus for secure distribution of software

US Pat. 6966002 - Filed Jun 9, 1999 - Trymedia Systems, Inc.

3A in which the amount of information in **each** version is varied by removing ...4A is a spectral diagram of a **segment** of an audio signal to be included as a ...Backup/restore technique in a microcomputer-based encryption system

US Pat. 5008936 - Filed Dec 9, 1988 - The Exchange System Limited Partnership

This would happen because the substitution of the authorization **segment** to ...the security of the DES keys under which data is **encrypted** or authenticated. ...Method and system for performing secure electronic messaging

US Pat. 6002769 - Filed Sep 4, 1997 - Secure Choice LLC

Step 6 — Decryption of Remaining **Encrypted** Numbers Next, **each** remaining ... theformula value is **returned**, and this is the **segment** value for the first ...Signalling scheme for controlling data encryption device in an electronic ...

US Pat. 5175766 - Filed Jul 25, 1991 - The Exchange System Limited Partnership

This would happen because the substitution of the authorization **segment** to thedenial ... of the DES keys under which 50 data is **encrypted** or authenticated.

...

Mobile station originated SMS using digital traffic channel

US Pat. 6097961 - Filed Nov 6, 1996 - Nokia Mobile Phones Limited

The status of **each segment** is given, with **segment** zero present in the LSB ofbyte one and the status of **segment** 255 given in the MSB of byte 32. ...Encryption key entry method in a microcomputer-based encryption system

US Pat. 5016277 - Filed Dec 9, 1988 - The Exchange System Limited Partnership


This would happen because the substitution of the authorization **segment** to ...the security of the DES keys under which data is **encrypted** or authenticated. ...Power supply arrangement for fault-tolerant operation in a microcomputer ...

US Pat. 4997288 - Filed Dec 9, 1988 - The Exchange System Limited Partnership

This would happen because the substitution of the authorization **segment** to ...rely on a dedicated encryption device for **each** data communication channel. ...Electronic postage scale system and method

US Pat. 5615120 - Filed Jun 7, 1995 - Ascom Hasler Mailing Systems, Inc.

Each block is capable of 100000 **program**/erase cycles. ... On the other hand, the



deleting each of returned encrypted program

Search Patents

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google